



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



BRO
1600
v. 12

HARVARD UNIVERSITY.



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY

22,142

GIFT OF

Samuel Henshaw.

April 2 - December 24, 1917.

BULLETIN
OF THE
BROOKLYN ENTOMOLOGICAL
SOCIETY

NEW SERIES

Vol. XII

1917



EDITED (IN SUCCESSION) BY

F. G. SCHAUPP

JOHN B. SMITH

GEO. H. HULST

CHAS. LOUIS POLLARD

R. P. DOW

PUBLICATION COMMITTEE

CHARLES SCHAEFFER,

J. R. de la TORRE-BUENO,

ROBERT P. DOW

363
2-2

PRESS OF
THE NEW ERA PRINTING COMPANY
LANCASTER, PA.

INDEX OF GENERA AND SPECIES.

Mentioned in Vol. XII. New forms marked *.

- Acalypta grisea* syn., 78
 lillianis, 78
Acmaeops proteus, 94
Aeolus, 41
Adelocera pyrsolepis, 47
Agrilus acutipennis, 93
 politus, 93
 ruficollis, 93
 vittaticollis, 94
Alcis sulfuraria, 46
Amelanchier, 78
Ameristus fumosipennis, 88
Andrena andrenoides, 90
 *banksii**, 89
 carlini, 89, 91
 cressoni, 92
 erythrogastra, 90
 *flexa**, 92
 mandibularis, 90
 regularis, 89, 91
 vicina, 89
Andropogon tectorum, 34
Aneristus fomosisipennis, 88
Anthocoris, 14
Anthomyia, 37
Anthophilax alternatus, 94
 malachiticus, 93, 94
Apantesis proxima var. *autholea*, 47
Apiaschna heros, 45
Apion, 65
Aprostocetus canadensis, 118
Aprostocetus diplosidis, 88
 *kansasia**, 88
Aradus acutus, 46
 duzei, 46
 uniformis, 46
Arthromacra aenea, 17
 *appalachiana**, 17, 18
Arthromacra donacioides, 18
 glabricollis, 18
 *pilosella**, 17, 18
 robinsoni, 17
 rugosecollis, 18
Asemum moestum, 94

Balaninus baculi, 45
 nasicus, 45
 probovideus, 45
 rectus, 45
Baptisia tinctoria, 64
Barnesia ritaria, 115
Betarmon bigeminatus, 43
 *californicus**, 42
 ferrugineus, 43
Betula populifolia, 31
Blatta aegyptiaca, 69
Bombus, 52
Bougainvillaea glabra, 34
Buprestis impolita, 93
 striata, 93

Callidium antennatum, 94
 janthinum, 94
Caricea, 36
Carya alba, 31
 glabra, 31
Catopsilia eubule, 45
Ceanothus americana, 30, 79
Cephalocaris, 76
Ceresa albescens, 110
 albido sparsa, 111
 basalis, 111
 brevicornis, 111
 brevis, 111
 brevitylus, 111
 borealis, 111

- Ceresa bubalus*, III
 constans, III
 diceros, IIO
 femorata, IIO
 militaris, III
 occidentalis, III
 palmeri, III
 stimulea, III
 taurina, III
 uniformis, III
Cænonympha californica, 46
Cephalanthus, 78
Chalcophora fortis, 93
 lacustris, 93
 liberta, 93
 virginiensis, 93
Chanithus, 70
Chionathus virginica, 59
Chirosia
Chrysanthemum leucanthemum, 31
Chrysobothris dentipes, 93
 harrisii, 93
 scabripennis, 93
Cicindela arizonæ, 46
 dorsalis, 45
 lepida, 45
 marginata, 46
 striga, 47
 v. inyo,* 106
 v. kirbyi, 106
 v. owena,* 106
 v. viridissima, 106
Clitoria mariana, 62
Clytus marginicollis, 94
Clytanthus ruricola, 94
Coccophagus orientalis, 88
Coenosia, 36
Coleophora malivorella, 87
Copidita thoracica, 30
Corythaica bellula,* 19
 monacha, 19
Corythucha adusta, 79
 arcuata, 78
 bulbosa, 79
 carbonata, 79
 cerasi, 79
Corythucha cratægi, 78
 heteromelii syn., 78
 incurvata, 78
 marmorata, 78
 pallida, 78
 pruni, 79
Cratægus, 78, 92
Cregya vetusta, 46
Cremastochilus canaliculatus, 31
Crotolana retusa, 88
Ctenucha brunnea, 47

Dasyllis affinis, 52
 astur, 53, 54
 californica,* 53, 54
 champlaini, 53, 54
 cinerea, 52, 54
 colombia, 53
 divisor,* 53, 54
 fernaldi, 53
 flavicollis, 53
 grossa, 53
 insignis,* 53
 lata, 53, 55
 macquarti,* 52, 54
 partitor,* 53, 54
 posticatus, 53, 54
 sackeni,* 53, 54
 sacrator, 52
 semitecta, 52
 thoracica, 53
 unicolor, 53
 virginica,* 53
Daucus carota, 31
Dermestes talpinus, 30
Desmocerus palliatus, 94
Desmodium lasiocarpum, 34
Dexiopsis, 36
Dicerca caudata, 93
 chrysea, 93
 divaricata, 93
 prolongata, 93
 punctulata, 93
 tenebrosa, 93
Dictyophara, 69
 dioxys, 70

- Dictyophara florens*, 70, 71
 lingula, 70, 71
 microrrhina, 70
Dinapate wrightii, 107
Dolichoglossa, 37
Drasterius amabilis, 40, 41
 circumscriptus, 42
 dorsalis, 40, 41
 elegans, 40
 livens, 41
 nigriventris,* 41
 pulchellus, 41
 subornatus, 40, 41
 scutellatus,* 41
 thoracicus,* 40
Drosophila ampelophila, 21

Ehretia elliptica, 50
Elachistus hyphantriae, 85
 sanninoideæ,* 85
Elatér viitosus, 46
Ellipotoma laticornis, 31
*Emmesomyia** *apiculis*,* 115
 unica,* 114
Encyclops caruleus, 94
Erytalis tenax, 6
Euchrysa hyalinipennis, 14
 maculipennis, 14
 similis,* 14
Eubarnsia,* 115
Eudercés picipes, 94
Eupogonius tomentosus, 95
Eupteromalus sarcophagæ, 118
Eurydinota lividicorpus,* 86
Eurytoma pissodis,* 88
 cleri, 88

Falcata comosa, 63
Fitchia aptera, 45
Forcipomyia, 14
Fraxinus, 59, 80
 americana, 80
 nigra, 81
 pennsylvanica, 81

Gargaphia, 61

Gargaphia amorphæ, 79
Gonotocerus maga, 87
 angulata, 79
 reticulata, 61
 solani, 79
 tiliæ, 79
Gawrotes cyanipennis, 94
Gerris remigis, 21
 titillatus,* 87
Glischrochilus fasciatus, 30
Gonotocerus maga, 87

Halisoa rufipes, 118
Hammomyia, 37
Hamatopoto pluvialis, 69
Heidemania, 75
Heterina vulnerata, 46
Hippobosca æquina, 69
Homoptera unilineata, 103
Hoplogaster, 36
Hydnocera humeralis, 31
 lecontei, 31
 longicollis, 31
 pallipennis, 31
 verticalis, 31
Hylemyia, 37, 38
Hylephila, 37
Hyperplatys aspersus, 95
Hyperoteles polynemæ, 118
Hypopteromalus percussor,* 118

Ips, 30
Isometopus libertus,* 76
 pulchellus, 76, 77
 signatus, 76, 77
 unicolor, 76
Isohydnocera, 83
 ægra, 84
 albobincta, 84
 brunnea,* 84
 curtipennis, 84
 gerhardi, 84
 longicollis, 84
 ornata, 84
 pusilla, 84
 schusteri, 84

Isohydnocera tabida, 84

Juglans cinerea, 31

Languria mozardi, 86

Laphria, 52

Lemidia, 85

Lemonias virgulti, 46

Leptostyla affinis, 64

angustata, 64

dilatocollis, 61

clitoria, 60, 61

constricta, 62

costofasciata, 61

elata, 61

gracilentia, 61

heidemanni, 60, 63

oblonga, 60, 62, 63

similis, 64

velifica, 61

velifer,* 60

Leptostylus 6-guttatus, 95

Leptopypha brevicornis, 56, 58, 59

costata, 56, 57

discreta, 58

distinguenda, 57

elliptica,* 56, 57

minor,* 55, 56

mutica, 56, 58, 59

Leptura, 30

aspera, 95

cordifera, 94

exigua, 94

hamatites, 94

mutabilis, 95

proxima, 94

pubera, 95

ruficollis, 30, 95

sphaerocollis, 95

vittata, 95

Lespedeza, 62

Lidopus heidemanni, 74

Limnospila, 36

Liopus fascicularis, 29

Lispa, 114

Lycæna exilis, 46

Madeterus, 13

Mallophora analis, 55

Meadorus lateralis, 46

Megapenthes nigriceps, 42

Megathymus sp., 46

Meibomia, 62

Melanophila fulvoguttata, 93

Memythrus cupressi, 46

Meroporus dubius, 118

utibilis, 118

Microrrhagus audax, 39

bonvouloiri, 40

imperfectus, 39

oblitus, 39

subsinuatus, 39

Molorchus bimaculatus, 30, 94

Monanthia c-nigrum, 49, 50

coloradensis, 50, 51

ehrethia,* 49, 50

labeculata, 49, 50

monotropida, 49, 50

Monohammus scutellatus, 95

Monophylla terminata, 31

musca domestica, 68

Mycterus scaber, 30

Myiomma cixiiformis, 75

media,* 75

Necrobia violacea, 31

Necrophorus americanus, 30

marginatus, 30

orbicollis, 30

sayi, 30

Neoborus amarus, 81

canadensis, 80

geminus, 80

palmeri, 81

pubescens,* 80, 81

tricolor, 80

Neochirosia, 35, 36

setiger,* 36

Neoclytus muricatus, 94

Neohylemyia, 37

proboscoidalis,* 38

Neomphaloides, 118

Neomphaloidomyia,* 118

- Neowashingtonia filifera*, 107
Nersia curviceps, 70
 florens, 71
Notonecta mexicana, 46

Omosita colon, 30
Omphalomopsis marilandia,* 88
Ootetrastichus gibboni,* 86
 myrmaridis, 86
Ormyrus thymus,* 87
 unfasciatipennis,* 87
 unmaculatipennis, 87
Oxygonus montanus,* 43
 obesus, 44

Pachyta monticola, 94
 rugripennis, 94
Pemphredon angularis, 99, 100
 bipartitor, 102
 cockerelli, 98, 100
 concolor, 99
 confertim, 100
 errans,* 99
 foxii,* 101
 giffardi, 102
 grinnelli, 102
 harbecki, 102
 inornatus, 102
 marginatus, 102
 montanus, 102
 morio syn., 102
 nearcticus, 98
 provancheri, 97
 rileyi, 100
 shawii,* 100
 tenax, 102
 tinctipennis, 97
 virginiana,* 101
Pentacricia, 36
Petalostemon, 63
Phaonia, 114
Phenolia grossa, 30
Phyllobæus dislocatus, 29, 31
Phyllogaster, 36
Phylloscelis, 70
Phymatodes variabilis, 94

Pieris rapæ, 46
Pinus strobus, 29
Pissodes strobi, 89
Pityophthorus consimilis, 29
Platanus occidentalis, 31
Platycerus keeni, 22
 pedicellaris, 22
 quercus, 22
 thoracicus, 22
Pleocomma australis, 16
 badia,* 15
 conjungens, 15
 fimbriata, 15
Podisus fretus, 46
Pogonocherus plenicellatus, 95
Proboscimyia, 37
Proboscidomyia, 37
Prionochata opaca, 30
Prunus, 92
Psenocerus supernotatus, 29
Pseudolucanus bicostatus,* 22
 masama, 22
Pseudophana, 70
Psilopa, 13
Pycnanthemum incanum, 30, 31
Pyrameis caryæ, 46

Rhagium lineatum, 93, 94
Rhipiphorus limbatus, 31
Rhus glabra, 29

Salix, 90
Sanninoidea exitiosa, 85
Saperda vestita, 95
Scatophaga furcata, 14
Schoenomysa, 35
Scolops, 70
Scopelosoma devia, 46
Scolopostethus affinis, 46
 atlanticus, 46
 thomsoni, 46
Secodella viridis, 85
Secodes multilineatus,* 85
Sericothrips occipitalis,* 32
Silpha americana, 30
 inaequalis, 29

Ward's Natural Science Establishment,
84-102 College Ave. ROCHESTER, N. Y.

Entomological supplies of every description, including the only genuine hand made

**Schmitt Insect Boxes, and the well known
American Entomological Company Insect Pins.**

Our supply catalogue No. 30 will be sent free on application. Entomological Specimens of all orders from every part of the world.



Life Histories of Insects of Economic Importance and others;
Type or systematic collections of Insects from Boreal America;
Collections of beneficial and injurious insects; Collections of
Household, Garden, Orchard, Shade Tree and Forest Pests; also
illustrating Mimicry and Protective Coloration, and Dimorphism.

If interested write for the following circulars:

- 116 Biological Material for Dissection,
- 125 Life Histories of Economic Insects,
- 128 List of Living Pupae,
- 129 Exotic Lepidoptera,
- 130 North American Lepidoptera,
- 131 Exotic Coleoptera,
- 132 North American Coleoptera,
- 143 Type Collections, also Collections illustrating
beneficial and injurious insects, different pests, Mimicry
and Protective coloration, and Dimorphism.

Our complete Insect catalogue and list of publications will be sent on receipt of 25 cents.



PALM CANYON, HOME OF *DINAPATE WRIGHTII*



3 2044 103 126 033

Date Due

~~AUG 10 1940~~

